For more details see the Product Attachments extension page.

Guide for Product Attachments for Magento 2

Provide customers with additional details about the products they purchase in your store. The extension allows you to add manuals, licenses, warranties and other downloadable information right on product pages. Equip your attachments of any format with catchy icons to attract customers' attention.

- Upload the unlimited number of attachments
- Support for any file types
- Track attachments downloads
- Equip files with catchy icons

Configuration

To configure general extension settings please go to **Stores** \rightarrow **Configuration** \rightarrow **Amasty Extensions** \rightarrow **Product Attachments**.

General Settings

Expand the General tab.



2020/04/04 15:20	3/78	Guide for Product Attachments for Magento 2
Configuration		👤 demouser 🔻
Store View: Default Config	· •	Save Config
General		$\overline{\bigcirc}$
Enable Modul [store view		•
Add Category Files t Product [store view	ts	▼
Display `Include I Order` Files on Produc Pages and Widget [store view]	ct No ts	•
Url Creation Typ [store view	e Id	
	<mark>Id</mark> Hash	

See your store performance in details with the Magento 2 Advanced Reports.

Enable Module - enable or disable the extension by clicking 'Yes' or 'No'.

Add Category Files to Products - if *YES*, the files will be attached to all category products. If *NO*, the files will not be attached to the products of the category. But you can display the category attachments with the help of widget.

Display `Include In Order` Files on Product Pages and Widgets - enable this option if you want to show files regarding ordered products on product pages and widgets.

Url Creation Type - select the type of URL that will be applied to the attachments: *ID* or *Hash*.

ID type URL example:

http://domain.zone/amfile/download/file/22

Hash type URL example:

http://domain.zone/amfile/download/file/8a9e07bad0166438b0

Product Tab

Configuration		💄 demouser 🝷
Store View: Default Config 🔻	•	Save Config
Product Tab		\odot
Show `Product Attachments` Tab [store view]	Yes A new tab with product attachments will be added to product tabs on a Product Page	
Tab Title [store view]	Product Attachments	
Choose Customer Groups to show the Tab [global]	NOT LOGGED IN General Wholesale Retailer Don't choose any or select all to show the tab to all customer groups.	
Show File Icon [store view]	Yes 🔻]
Show File Size [store view]	Yes 🔻	
Tab Position [store view]	55]

Show `Product Attachments` Tab - enable display of a new tab with product attachments in the description block on a Product Page.

Tab Title - specify the name for the tab with product attachments.

Choose Customer Groups to show the Tab - specify customer groups for which the attachments will be visible.

Show File Icon - make attachments more noticeable by showing file icons or turn off this option if needed.

Show File Size - enable this option to let your customers know about the size of the attachment.

Tab Position - specify the position for the product attachments among the other tabs.

To maintain the correct tabs display, please do NOT set the multiples of 10 (0,10,20, etc.). You may choose the following ranges: **11-19**, **21-29**, etc. or use the numbers that contain 5 (**5**, **15**, **25**, etc.).

Order View Page

Configuration		💄 demouser 👻
Store View: Default Config 🔻	?	Save Config
General		\odot
Product Tab		\odot
Order View Page		\odot
Show Attachments [store view]	Yes	•
Title for Attachments Block [store view]	Product Attachments	
Type of Attachments to Display [store view]	`Include In Order` Only `Include In Order` Only All Product Attachments	
Order Status [store view]	Pending Processing Suspected Fraud Complete Closed Canceled On Hold Leave the field empty to show attachments all statuses	in
Show File Icon [store view]	Yes	•
Show File Size [store view]	Yes	•

Show Attachments - enable this option if you want to show attachments for ordered products.

Title for Attachments Block - specify the title for attachments block on the Order View Page.

Type of Attachments to Display - show all product attachments or include them to the order only.

Order Status - choose order status according to which the attachments will be displayed. It is useful if you want to show files only when a purchase is completed.

Show or Hide File Icon and File Size.

Order Email

Configuration		💄 demouse	r •
Store View: Default Config	g - (?)	Save Config	
General		\odot	
Product Tab		\odot	
Order View Page		\odot	_
Order Email		0	
Add Attachments to Transactional Emails [store view]	Yes	•	
Title for Attachments Block [store view]	Product Attachments		
Type of Attachments to Add [store view]	`Include In Order` Only	•	
Order Status [store view]	Pending Processing Suspected Fraud Complete Closed		
	Canceled On Hold	//	

Leave the field empty to show attachments in all statuses

Add Attachments to Transactional Emails - include files to transactional emails to provide customers with the maximally detailed product description.

Title for Attachments Block - specify the title of the block that will be displayed in emails.

Type of Attachments to Add - add all the attachments or 'Include in Order' only to your transactional emails.

Order Status - select the status(es) that the orders must have to show attachments. Leave the field

empty to show attachments in all statuses.

Additional Settings

Configuration	👤 demouser 👻
Store View: Default Config 👻 🕜	Save Config
Additional Settings	
Autodetect File Mime Type on Download [store view]	Yes Set the option to Yes to let customers open attachments in a new browser window instead of downloading them. 'Fileinfo' extension or 'mime_content_type' function must be enabled in server configuration

Autodetect File Mime Type on Download - set the option to 'Yes' to let customers open attachments in a new browser window instead of downloading them.

Adding Files to the Product

To add new files for a specific product please go to **Catalog** \rightarrow **Products** and open the necessary product. Then expand the **Product Attachments** tab.

						<	1 of	1
Fileld	lcon	File Name	Extension	Label	Customer Groups	Include In Order	Visible	Actions
New File		bag-warranty_3	docx	bag-warranty_3	NOT LOGGED IN General Wholesale Retailer	No No	Yes Yes	Î
New File		promo-bag_2	jpg	promo-bag_2	NOT LOGGED IN General Wholesale Retailer	No No	Yes Yes	ŧ

Add Existing Attachments Add New Files Add New Links

Product Attachments

You can specify custom name for this tab by modifying the **Tab Title** option on the General Settings page.

This handy grid allows you to manage all existing attachments easily:

Icon - define a needed attachment by catchy icons to add to the product.

File Name - specify a relevant file name for your internal use.

Extension - track the attachments easily according to file extensions.

Label - fill in the label that will be displayed on the frontend as the name of the attachment.

Customer Group - specify a customer group for which the attachment will be visible on the frontend.

Include In Order - enable this option if you want to display the product attachment in the tab 'My Orders' on the frontend.

Visible - modify this option to hide or display the attachment regarding the product.

If you show two or more attachments on a product page, you can specify the order for displaying files.

You can make the following actions right from the admin panel:

Click the **Add Existing Attachments** button to add files that are already loaded. Click the **Add New Files** button to add a new attachment for the related product. Click the **Add New Links** button to provide your product page with a necessary link.

Q

💄 admin 🗸

Attachments Management

Attachments Management

To see all the attachments please go to **Catalog** \rightarrow **Attachments Management**.

Λιια		ents	wanage	ment			, _				
	Add New Attachment										
				T Filters	• Defa	ult View	• 🗘 Co	lumns 🔻			
Action				20 -	per page	<	1 of				
Delete	Action	lcon	File Name	File Label	Mime Type	File Size	Created At	Updated At			
	Edit		user_manual	user_manual	application/ vnd.openxml	11.64 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM			
7	Edit		watches- warranty	watches- warranty	text/plain	8.00 B	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM			
7	Edit		promo-bags	promo-bags	image/jpeg	84.92 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM			
	Edit		promo-watches	promo-watches	image/jpeg	27.74 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM			
	Edit		product- attachments	product- attachments	application/zip	26.98 kB	Apr 1, 2020 8:17:23 AM	Apr 1, 2020 8:17:23 AM			

This handy grid helps you track all existing files by ID, icon, attachment type, file name, file label, mime type, and file size. Also, store admins can track the date of file upload and monitor the date of last changes (including changes of products, categories, etc.).

You can add new files to the existing list right from the grid by clicking the Add New Attachment

button.

New Attachment	L demouser
	← Back Save and Continue Edit Save Attachment
ile Info Fields	
Attachment Type	File 💌
File	Upload
	bag-warranty_5.docx 11 KB
Attachment Name	
Label	* bag-warranty_5
Customer Groups	NOT LOGGED IN General Wholesale Retailer
	Don't choose any or select all to show the attachment to all customer groups.
Is Visible	Yes
Include In Order	No
	Include this attachment into order transactional email and show in the 'view order' section of customer's account.

Specify the **Attachment Type** and fill in the **Attachment Name**, **Label** and then choose a **Customer group** to which display the file. Then press the **Upload** button to select a necessary file.

In one click you can regulate the file visibility and include it in order.

20/04/04 15:20		13/78			Guide for Product Attachments for Mage				
Attach To									
	Categories	Gear × Bags ×			•				
Add products						<	1	of 1	
ID Thumbnail	Name			Status	Туре	SKU	Price	Actions	
1	Joust Duffle Bag			Enabled	simple	24- MB01	\$34.00	Remove	
2	Strive Shoulder Pac	k		Enabled	simple	24- MB04	\$32.00	Remove	

Also you can attach a new file to any category and product you need. Just select necessary categories and add products to attach a new file to them.

Then press the **Save Attachment** button to finish the new attachment adding.

Adding an Icon

Make attachments more noticeable for customers with catchy icons. To create a new attachment icon or edit already existing ones go to **Catalog** \rightarrow **Icon Management**.

Icon Man	agemer	nt		💄 dem	iouser 🔻
				Add New	lcon
			Filters • Default View	N 🕶 🏠 Col	umns 🔻
Actions •	15 records f	ound	20 🔻 per page <	1 of 1	>
ID I	Thumbnail	Туре	Extensions	Status	Action
1		Document	doc, docx, txt, rtf, pdf, djvu	Enabled	Edit
2		Image	jpg, jpeg, png, gif, bmp	Enabled	Edit
3		Video	avi, mp4	Enabled	Edit
4	1	Audio	mp3, jpeg, ogg	Enabled	Edit
5	88	Archive	zip, rar, 7z	Enabled	Edit
6		Table	csv, xls, xlsx	Enabled	Edit
7		Presentation	pptx, pptm, ppt	Enabled	Edit
8	÷	Scheme	ini	Enabled	Edit

This handy grid allows you to track all existing files by thumbnail, icon type and extension. You can easily check the icon status in the same place.

The module let you add a new icon right from the admin panel by pressing the **Add New Icon** button.

2020/04/04 15:20		15/78		Guide for Product Atta	achments for Magento 2
New Icon					💄 demouser 👻
			← Back	Save and Continue Edit	Save Icon
Product Attach	ment lcon				
	lcon	Upload			
	Type *	Image			
	Enabled	Ves			
File Extensions					
File Extension *					Actions
png					1
Add Extension					

Upload the icon you need, specify the file type for which the icon will be used. You can enable the icon displaying in one click. Then add the file extension by pressing the **Add Extension** button.

Hit the **Save Icon** button to finish the new icon adding.

Adding Files to the Product Category

To attach files to any product category, please, go to **Catalog** \rightarrow **Categories** and select any product category to which you want to add files.

Gear (46) Bags (14) Fitness Equipment (2) Watches (9) Collections (13)	3)		Cat	egory Name [store view]	* Bags						
Training (6) Promotions (0)	Proc	Products in Category									
- 🤤 Sale (0)	Des	ign								\odot	
	Sche	edule	Desig	n Update						\odot	
	Proc	duct A	ttach	ments 🖌						\odot	
									< 1 of	1	
		File Id	lcon	Attachment Name	Extension	Label	Customer Groups	Include In Order	Visible	Actions	
		24		Warranty Use Default Value	txt	Warranty Use Default Value	NOT LOGGED IN General Wholesale Retailer	Yes Use Default Value	Yes Use Default Value	Î	
		2		promo.jpg Use Default Value	jpg	promo.jpg Use Default Value	NOT LOGGED IN General Wholesale Retailer	No Use Default Value	Yes Use Default Value	ŧ	
	Ad	d Existi	ng Atta	chments Ad	d New Files	Add New Lin	ks				

magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Then, expand the **Product Attachments** tab. You can add existing or new files or even add new links to the chosen product category. Then press the **Save** button to attach added files to the certain product category.

Managing Attachments Block via Widget

Last update: 2020/04/04 14:02

With the extension it is possible to add Product Attachments Block to any page or position via widget.

To configure the widget, go to **Content** \rightarrow **Elements** \rightarrow **Widgets**.

Widgets demouser -Add Widget

		20 🔻 per page	<	1 of 1 >
Widget ID ↓	Widget	Туре	Design Theme	Sort Order
		•	•	
1	Contact us info	CMS Static Block	Magento Luma	0
2	Footer Links	CMS Static Block	Magento Luma	0
3	Sale Left Menu	CMS Static Block	Magento Luma	0
4	Gear Left Menu	CMS Static Block	Magento Luma	0
5	Men's Left Menu	CMS Static Block	Magento Luma	0
6	Women's Left Menu	CMS Static Block	Magento Luma	0
7	What's New Left Menu	CMS Static Block	Magento Luma	0
8	Women Category Content	CMS Static Block	Magento Luma	0
9	Training Category Content	CMS Static Block	Magento Luma	0

Click the Add Widget button.


Widgets			1	demouser 🝷
		÷	Back	Reset
WIDGET	Settings			
Settings 🖌				

Settings 📝	Type *	America Attack ments Dir -it	
	Type *	Amasty Attachments Block	•
1		Please Select	
		Amasty Attachments Block	
		CMS Page Link	
		CMS Static Block	
		Catalog Category Link	
		Catalog New Products List	
		Catalog Product Link	
		Catalog Products List	
		Orders and Returns	
		Recently Compared Products	
		Recently Viewed Products	
	Design Theme	Magento Luma 🔹	
		Continue	
		Catalog Product Link Catalog Products List Orders and Returns Recently Compared Products Recently Viewed Products Magento Luma	;

Type - select the **Amasty Attachments Block** widget type.

Choose the theme and click **Continue**.

Set the **Storefront Properties** of the block.



Sort Order of widget instances in the same container

Widget Title - specify the title for the internal usage.

Assign to Store Views - select store views where the widget should be displayed.

Sort Order - set the position of the block in the same container.

In the Layout Updates section you can set any category or product page to display the widget.

Layout Updates

Display on Anchor Categories	Ŵ
CategoriesContainerTemplateAll Specific CategoriesSidebar AdditionalPlease Select Container First	
Display on All Product Types 🔻	Ŵ
Products Container Template All Page Footer Please Select Container First 2,5,18	
Display on Specified Page	Ō
Page Container Template Catalog Product Cor Sidebar Main Please Select Container First First	

Specify the particular categories or products if necessary. In the **Container** dropdown menu choose where attachments block should be placed. Add as many pages and positions as you need.

Expand the Widget Options tab.

2020/04/04 15:20	21/78		Guide for Product Attachmer	nts for Magento 2
Widgets				demouser 🔻
	← Bac	k Reset	Save and Continue Edit	Save
WIDGET	Widget Opti	ions		
Storefront Properties 🖍	Block Title	Product Attachme	ents	
Widget Options	Widget Type	Current Category Current Category Specific Category Current Product Specific Product Custom Files		
	Show Icon	Yes 💌		
	Show File Size	Yes 🔻		

Block Title - specify the title that will be displayed on the frontend.

Widget Type - choose the type of the widget.

You can also **Show Icon** and **Show File Size** or hide them if necessary.

Hit the **Save** button.

Download Reports

Due to the advanced Magento 2 file attachment manager tool you can view and analyze detailed reports on file downloads. Here you can see statistics on what attachments were downloaded, when this happened and who downloaded the file.

To see reports on file downloads please go to **Reports** \rightarrow **Downloads**.

Product Attachment Report Downloads 👤 demouser 👻 **Clear File Downloads Filters** 0 Default View Columns • 20 13 records found • 1 per page of File ID File Name Downloaded At Store View Download Source 4 warranty.txt Default Store View Product Jan 22, 2019 2:44:53 PM 6 user_manual.pdf Default Store View Product Jan 22, 2019 2:44:50 PM 5 promo.jpg Default Store View Product Jan 22, 2019 2:44:45 PM 2 promo.jpg Default Store View Other Jan 22, 2019 2:41:47 PM 1 warranty.txt Default Store View Other Jan 22, 2019 2:41:42 PM 24 Warranty Default Store View Category Jan 17, 2019 1:06:29 PM 5 promo.jpg Default Store View Nov 30, 2016 3:15:43 PM 6 user_manual.pdf Default Store View Nov 30, 2016 3:12:40 PM 5 promo.jpg Default Store View Nov 30, 2016 3:12:22 PM 4 warranty.txt Default Store View Nov 30, 2016 3:12:17 PM 6 user_manual.pdf Default Store View Nov 30, 2016 2:23:14 PM 5 promo.jpg Default Store View Nov 30, 2016 2:22:46 PM 4 warranty.txt Default Store View Nov 30, 2016 2:22:34 PM

In case you want to refresh the reports download history, click the Clear File Downloads button.

Show Attachments on the Product Page

You can place attachments in the product description block via widgets.

Home > Summit Watch

			Summit ★★★★★★ 3 R \$54.00	
			Qty 1 Add to Cart	
	(E)		♥ ADD TO WISH LIS	T III ADD TO COMPARE
Details	Product Attachments	More Information	Reviews (3)	
promo	nty.txt o.jpg manual.pdf			

Add Attachments to Orders

Customers can find all attachments regarding completed orders in their accounts. When they view a necessary order in the tab 'My Orders', they find corresponded files. All this prevents from losing important documentation regarding the purchased product and its usage.

Account Dashboard My Orders My Downloadable Products	Order # 000 January 31, 2019 Reorder	000003	PENDING		Print Ord
My Wish List Address Book	Items Ordered				
Account Information Stored Payment Methods	Product Name	SKU	Price	Qty	Subtotal
Billing Agreements My Product Reviews Newsletter Subscriptions	Summit Watch Product Attachments user_manual.pdf	24-MG03	\$54.00	Ordered: 1	\$54.00
			Ship	Subtotal	\$54.00 \$5.00
Compare Products				Tax	\$4.46
/ou have no items to compare.				Grand Total	\$63.46
Recently Ordered					

The extension allows you to place attachments in absolutely any location on product, category and CMS pages via widgets.

Attachments mass-import

With the extension you can import attachments in bulk and assign them to products via CSV-file import.

Go to Catalog, choose Mass File Import in Product Attachments tab.


Mass File Import							
	Ne	w Import					
Actions - 3 records		Columns 🗸					
ID ↓	Created Date	Action					
1	May 11, 2019 1:27:23 PM	Continue					
2	May 15, 2019 7:12:33 AM	Continue					
3	May 15, 2019 7:58:05 AM	Continue					

All incomplete imports are saved and displayed in the grid. To complete any of them, press the **Continue** button. To start a new import process, click **New Import**.

Step 1. Prepare files for import

In this tab upload all the attachments you want to import via Add New File button.

You can also upload your files in **pub/media/amasty/amfile/import/ftp** folder.



Prepare Files

You ca	an uplo	ad your	files in pub/m	edia/amasty	y/amfile/im	port/ftp folder	<	1 of	1 >
	File Id	lcon	Attachment Name	Extension	Label	Customer Groups	Include In Order	Visible	Actions
	1		tee-tank	jpg	tee-tai	NOT LOGGED IN General Wholesale Retailer	Ves 🌔	Ves 🌔	Î
	2	=	4.02_Bri	pdf	4.02_E	NOT LOGGED IN General Wholesale Retailer	No No	Ves 🌔	ŧ
	3		DMC-Fill	pdf	DMC-F	NOT LOGGED IN General Wholesale Retailer	Ves 🌔	Ves 🌔	Î
	4	=	Renusol	pdf	Renus	NOT LOGGED IN General Wholesale Retailer	No No	Yes Yes	ŧ


Add New Files

You can change files' names and labels if needed, assign them to the necessary customer groups, include in order and make them visible/invisible right in the grid.

Click Next.

Step 2. Select Stores For Configuration

Here specify store views to which you want to import files.



Configurate Your Stores

Select Store Views *	Main Website	*
	Main Website Store	ii.
	Default Store View	
	NewWebSait	
	NewStore	
	NewStoreview	1

Press Next.

Step 3. Import Your Files

In this tab CSV-file is generated.

Import Attachments							
1 2 Cancel Back Next Prepare Files Select Stores Import Your For Import Configuration Files Cancel Cancel Back Next Configuration Check Data							
Import Settings							
Generate Import File							
Import Behavior							
Import Behavior * Add							
* Stop on Error							
Allowed Errors Count * 10 Please specify number of errors to halt import process							
Field separator * ,							
Multiple value separator * ,							
Fields enclosure							
File to Import							
Select File to Import * Choose File No file chosen							
Images File Directory							
For Type "Local Server" use relative path to Magento installation, e.g. var/export, var/import, var/export/some/dir							

magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Last update: 2020/04/04 14:02

Press **Generate import file** to download an import sample file.


In the sample you can edit any data presented in Step 1.

L23	,	-		$\times \checkmark f_s$						
A	В	c		D	E	F	G	Н	I	J
× noc	import_ic 💌	store_ic	τ.	filename 🛛 💌	label 💌	customer_grou	is_visible 💌	include_in_orde 🔻	product_i 💌	category_i
1	1		0	tee-tank	tee-tank1	1,2	1	1	14,21	5,6
1	1		1					1		
1	1		2							
2	1		0	4.02_Britex_TPW	4.02_Britex_TPW	0,3	1	0	6	32,34
2	1		1							
2	1		2		1					
з	1		0	DMC-Fillins-p0	DMC-Fillins-p0	2	1	1	112,115	1,15
3	1		1		1					
з	1		2							
4	1		0	Renusol_CSFic	Renusol_CSFic	4	1	0		
4	1		1		1					
4	1		2		I I					
5	1		0	clock-2710035_9	clock-2710035_9	2,3	1	0		

In our case we've selected 2 store views.For example, we have English store view (store_id - 1) and French (store_id - 2). So we can name the same file differently and assign to different categories, customer groups, etc.

Set **Add** in 'Import Behaviour' tab.

Press the 'Import' button to import stock data.



It is possible to go back to any of the steps, make changes and regenerate import file if needed. All changes are saved automatically, and even if the import was not completed, it will be displayed in the **Mass Import Grid** so that you could continue importing later.

Testing API with Postman

You can track and manage all the files of the Product Attachments extension with an API development environment - **Postman**. A handy HTTP client allows to create all necessary queries, put them into collections, and test apps automatically.

To download a ready-made collection for automated API testing click here:

collection.zip

API support can be enabled only after purchasing an API Add-On to Product Attachments extension.

Setting up the Environment

The environment is set up in 3 steps:

1. Open Manage environments form:

🕂 Product Attachments by Amasty 👻 🕹 Invite) « » * * •	🕒 Upgrade 🔻
Get Admin Token X + ···		
≻ Get Admin Token		
POST • ((magento_api_uri))/all/V1/integration/admin/token?username=((admin_username))&password=((admin_password))	Params Send	🝷 Sar 🗶 👻
Authorization Headers Body Pre-request Script Tests		
Type Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization		

2. Set the following variables:

- magento_api_url: https://magentourl/index.php/rest
- admin_username: your admin username
- **admin_password**: your admin password

31/78

MANAG	GE ENVIRONMENTS				×
Enviro	nment Name				
apim	agento				
	VARIABLE	INITIAL VALUE	CURRENT VALUE	••• Persist All Reset A	
	magento_api_url	http://	http://	/index.php/rest	
~	admin_username	admin	admin		
~	admin_password	a222222	a222222		
Use variables to reuse values in different places. The current value is used while sending a request and is never synced to Postman's servers. The initial value is auto-updated to reflect the current value. Change × this behaviour from Settings. Learn more about variable values					
				Cancel Update	

3. Select the created environment:

<u>a</u>masty

Last update: 2020/04/04 14:02 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

	👪 Product Attachments by Amasty 👻 歳 Invite	Ō	📽 💋 I	• • •	<u> </u>	Ipgrade	*
Get Admin Token X + •••			apimagento				
≻ Get Admin Token							-
POST • {{magento_api_url}}/all/V1/integration/admin/toker	n?username={(admin_username))&password={(admin_password)}			Send	•		•
Authorization Headers Body Pre-request Script Tests							ode
TYPE Inherit auth from parent							

The specified variables can be used in further queries.

Backend API Testing: Getting Admin Token

To work with API, you need to authorize and get **admin token**.

Start a **POST** request.

Get Admin Token X + •••			
> Get Admin Token			
POST • {{magento_api_url}}/all/V1/integration/admin/token?username={{adm	in_username}} &password= {{admin_password}}		Params Send 🔻 Save
KEY	VALUE	DESCRIPTION	
✓ username			
✓ password			
Key			
Authorization Headers Body Pre-request Script Tests •			
TYPE Inherit auth from parent			
The authorization header will be automatically generated when you send the request. Learn more about authorization			

Hit the **Send** button.

The token will be generated in the response to the request.

🚼 Product Attachments by Amasty 👻 🕹 Invite		
Get Admin Taken X + •••	apimagento	
▶ Get Admin Token		
POST v {(magento_api_url))/all/V1/integration/admin/token?username=((admin_username))&password=((admin_password))	Params	Send 🔻
Authorization Headers Body Pre-request Script Tests		
Type Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization		
Body Cookies (1) Headers (11) Test Results		
Pretty Raw Preview JSON * 🛱		🖿 Q Sav
1 ['ugvx2pdb4d4wb4l2x6oxdwf2u5di29g*		

Backend API Testing: Basic Operations

In Magento 2 Product Attachments admin can view, upload, edit and delete files.

In Postman the queries are the following:

- GET
- POST
- PUT
- SEARCH
- DELETE

Every time you want to perform operations as an Administrator, you need to authorize with **Admin Token**. Insert into the **Token** field:

{{adminToken}}


	Product Attachments by Amasty 🔻 🗼 Invite	
Get Admin Token Upload File • + •••		
▼ Upload File		
Add a description		
POST {{magento_api_url}}/all/V1/amasty_product_attachme	nt/filemanage/uploadFile	
Authorization Headers (1) Body Pre-request Script	Tests •	
туре	Token	
Bearer Token 🔹		
The authorization header will se automatically generated when you send the request. Learn more about authorization		
Preview Request		

Upload the File


To test file uploading, use the **POST** query. First of all, encrypt the picture in Base64. To upload the file, insert "string" into "base64_encoded_data". This is how it reads: "base64_encoded_data": "string":

<u>a</u>masty

Last update: 2020/04/04 14:02 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments



Check if the file is uploaded successfully and set it for use in further requests if needed:




The response is positive, now you can use the uploaded file for testing the **Save Uploaded file** query:



Save the Uploaded File

To save the file, use the **POST** query as well:

Last update: 2020/04/04 14:02 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments



We add the loaded file "tmp_file" and write out the file data: name, label, etc:

{{lastUploadedFile}}


Before saving the file, make sure it was loaded. Check it with the help of a **pre-request script**. This script should be run before the actual request:

		::	Product Attachme	ents by Amasty 🔻	🚑 Invite
Get Admin Token	Upload File	Save File Data for another s	Save Uploaded File	• + •••	
▶ Save Uploaded F	ile				
POST 🔻	{{magento_api_url}} /all/V1/ ar	masty_product_attachment/file	emanage		
Authorization	Headers (1) Body 单	Pre-request Script Tes	ts 🔍		
1 - if (!pm.envi	concept get("lastUploadedEile	- \ \ []			
i 2 throw ne	ronment.get("lastUploadedFile w Error('Upload File First')	- // U			
3 }					

Unset the uploaded file and configure the settings to use it in the latter requests:

		:	Product Attachme	ents by Amasty 🔻 🗼 Invite				
Get Admin Token	Upload File	Save File Data for another s	Save Uploaded File	• + •••				
▶ Save Uploaded	File							
POST -	POST • {{magento_api_url}}/all/V1/amasty_product_attachment/filemanage							
Authorization	Headers (1) 🛛 Body 鱼	Pre-request Script • Te	sts 🔍					
2 pm.envir	nse.code == 200) {[onment.unset("lastUploadedFi onment.set("lastSavedId", pm	le"); h.response.json().file_id);						

The file has been saved successfully:



Make sure the data on the file match our Magento 2 Product Attachments settings:

New Attachmer	nt				1	demouser 🔻
	← Back	Save and Co	ntinue Edit	S	ave Atta	chment
File Info Fields						
Attachment Type	File 💌					
File	Upload					
Attachment Name *	nameapifile	png				
Label *	labelapifile					
Customer Groups	NOT LOGGED IN General Wholesale Retailer	show the attachmen	t to all custome	r		
Is Visible	Ves					
Include in Order	Yes Include this attachment into ore the 'view order' section of custo		il and show in			
Attach To						
Categories	Bags ×		-			
Add products				<	1	of 1 >
ID Thumbnail Name		Statu	s Type	SKU	Price	Actions
1 Joust Duff	e Bag	Enabl	ed simple	24- MB01	\$34.00	Remove
2 Strive Sho	ulder Pack	Enabl	ed simple	24- MB04	\$32.00	Remove




You may also save the uploaded file with the help of its URL (using a link field).

Save the File Data by the URL

In this case **POST** request is also used. Input the URL that points to the file location. Then set the file name, label, etc., and hit the **Send** button:

l		:	Product Attachments l	oy Amasty 🔻 🗼 Invite	
Get Admin Token	Upload File	Save Uploaded File	Save Uploaded File. L 🛛 🗙	+ •••	
▶ Save Uploaded File. U	se a link field				
POST 🔻 {{ma	agento_api_url}}/all/V1/ama	sty_product_attachment/file	manage		
Authorization Head	lers (1) Body • P				
● form-data ● x-ww	w-form-urlencoded 🛛 🔍 r	aw 🔍 binary JSON (ap	plication/json) 🔻		
5 "file_nam 6 "label": 7 "customer 8 "0", 9 "1" 10], 11 " attachme 12 "5", 13 "6" 14], 15 " "attachme 16 "0", 17 "4" 18], 19 "visible"	we:: "urlName", "urlLabel", _groups": [ent_products": [ent_categories": [mages/31155061/large.jpg",			

The response is positive:



The file has been saved.

Get File Data by the File ID

Get queries let you output the information on a certain file attached to a product. Admin can perform this operation for *Default Store View* and for *All Store Views*.

Let's get the data on LastSavedId with the help of the GET query. Set the URL indicating the needed

amasty

41/78

Store View and the file id:

1		:	Product Attachments b	y Amasty 🔻 🗼 Invite	l.
	Upload File			Get File Data By ld	Get File Data By Id (D 🗙 🕂 🚥
▶ Get File Data By	ld (Default Store View)				
GET 🔻	{{magento_api_url}}/default/V	/amasty_product_attachme	nt/filemanage/{{lastSavedId}		
Authorization		uest Script Tests			
TYPE Bearer Token		то	ken		
	eader will be automatically gene earn more about authorization	rated when you			
Preview Request					

Pay attention to a **Pre-request Script**. Before outputting the info about the file, make sure it has been saved:



If the file is missing, **upload** and **save** it.


Check if the information in the extension settings matches the info for the uploaded file:

Last update: 2020/04/04 14:02 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Edit Attachment					Help Exit
Store View: Default Store View 🔻	0	← Bac	k Delete Fil	e Save and Continue Edit	Save Attachment
File Info Fields					
	Attachment Type	File v			
	File	Upload			
		fileNameDefaultStore 23 KB			
	Attachment Name * [store view]	fileNameDefaultStore Use DefaultValue	Jpg		
	Label * [store view]	labelapifile Use Default Value			
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer			
		Don't choose any or select all to show the attachment to all customer groups.			

2020/04/04 15:20	43/78	Guide for Product Attachments for Magento
Edit Attachm	ient	← Back
	[store view]	General Wholesale Retailer Don't choose any or select all to show the attachment to all customer groups. Use Default Value
	Is Visible [store view]	Yes Use Default Value
	Include In Order [store view]	No Include this attachment into order transactional email and show in the 'view order' section of customer's account. Use Default Value
Attach To		
	Use [All Store Views] Categories	Ves Yes
	Use [All Store Views] Products	No
Add products		
ID Thumbnail N	ame	
3 O	rown Summit Backpack	
4 💦 W	/ayfarer Messenger Bag	

The response request is positive:



Search for the File

Postman allows to create search queries by any specific attribute. You can also sort the search results the way you want to, reorder them and set the number of the results to be displayed in the response section:

Get Admin Token	Upload File	Save Uploaded File Save	File Data for another s	Get File Data By Id	Get File Data By Id (Default	Search	× + •••
▶ Search							
GET 👻	{{magento_api_url}}/all/V1/ama	sty_product_attachment/filemanag	e/files?searchCriteria	[filterGroups][0][filters][0]	[field]=filename&searchCrite	ria[filterGroups][0][filters][0][value]=name%&searchC
KEY			VALUE				DESCRIPTION
searchCrite	ria[filterGroups][0][filters][0][field]		filename				
searchCrite	ria[filterGroups][0][filters][0][value]		name%				
searchCrite	ria[filterGroups][0][filters][0][conditi	onType]	like				
searchCrite	ria[filterGroups][0][filters][1][field]		size				
searchCrite	ria[filterGroups][0][filters][1][value]		3000				
searchCrite	ria[filterGroups][0][filters][1][conditi	onType]	gt				
searchCrite	ria[sortOrders][0][field]		file_id				
searchCrite	ria[sortOrders][0][direction]		ASC				
searchCrite	ria[pageSize]						
searchCrite	ria[currentPage]						

Let's see an example.

You are going to search for the attachment with the name starting with "filename" and with the size greater than 3000 Bytes. And you want the results to be sorted by id in the ascending order with 5 files per page.

Start with breaking the query into lines:

{{magento_api_url}}/all/V1/amasty_product_attachment/filemanage/files?

1. File name starts with "name":

```
searchCriteria[filterGroups][0][filters][0][field]=filename&
searchCriteria[filterGroups][0][filters][0][value]=name%&
searchCriteria[filterGroups][0][filters][0][conditionType]=like&
```

2. The size is greater than 3000 Byte:

```
searchCriteria[filterGroups][0][filters][1][field]=size&
searchCriteria[filterGroups][0][filters][1][value]=3000&
searchCriteria[filterGroups][0][filters][1][conditionType]=gt&
```

3. The results are sorted by id in ascending order:

```
searchCriteria[sortOrders][0][field]=file_id&
searchCriteria[sortOrders][0][direction]=ASC&
```

4. The number of files per page is 5 and the number of page for viewing is 1:


```
searchCriteria[pageSize]=5& searchCriteria[currentPage]=1
```

So 3 files are uploaded , and 2 of them meet the search query:

```
Body
                                                   5
 Pretty
        ł
            "items".
                {
                     "file_id": "33",
    "attachment_type": "0",
    filepath": "6d2f23ac4390d01c42c4ee2802e8757c",
    "link": ",
                    ],
"product_ids": [
                         5",
6
                    ],
"attachment_categories": [
"0",|
"4"
                     ],
attachment_products": [
                         "5",
"6"
                     ]
                },
                    ٤
                     ],
"product_ids": [
```

amasty

6



Compare it to Product attachments settings:

ID ↓	lcon	Attachment Type	File Name	File Label	Mime Type	File Size
33		File	nameapifile	labelapifile	image/jpeg	23.17 kB
34		File	nameapifile2	labelapifile2	image/jpeg	4.68 kB
35		File	apifile	lblapifile	image/jpeg	4.85 kB




Delete the File

For example, you've decided to delete the last saved file. So, input the file id in the URL and see if the file is saved with a pre-request script:

▶ Delete Saved File								
DELETE 👻	{{magento_api_	url}}/all/V1	/amasty_product_attachm	nent/filemanage/{{lastS	iavedId}}			
Authorization 鱼	Headers (1)	Body	Pre-request Script 🔵	Tests 鱼				
1 - lf (!pm.envi i 2 throw ne 3 }	ronment.get("las w Error('Save Fi	tSavedId"), le First')) {					

After the file is saved, you can go back to testing the delete function and unset the file:



The file is deleted.

Check the result in the extension settings:

BEFORE

V	ID ↓	lcon	Attachment Type	File Name	File Label	Mime Type	File Size	Action
	33		File	nameapifile	labelapifile	image/jpeg	23.17 kB	Edit
	34		File	nameapifile2	labelapifile2	image/jpeg	4.68 kB	Edit
	35		File	apifile	lblapifile	image/jpeg	4.85 kB	Edit

AFTER

×	ID .	l Icon	Attachment Type	File Name	File Label	Mime Type	File Size	Action
	33		File	nameapifile	labelapifile	image/jpeg	23.17 kB	Edit
	34		File	nameapifile2	labelapifile2	image/jpeg	4.68 kB	Edit

Now you are sure the file has been deleted.

Frontend API Testing: Getting Customer Token

While the Backend API testing deals with admin users' interactions, frontend API testing does the same for the customers. The operations they perform are not the same.

To test operations that customers perform, you need to log in as a registered customer and get a customer token.

The algorithm is similar to the process of getting an admin token.


Input the username and password of a test registered customer in the body and click **Send**:



Here is the **Customer Token**.

⊧ Get C	Customer	Token					
PO	st 👻	{{magento_a	pi_url}}/V1/in	tegration/	customer/tok	en	
		Headers (1)	Body 🔵	Pre-requ	lest Script	Tests 🔍	
forr	m-data 🤇	x-www-form-u	rlencoded	raw	binary	JSON (application/json)	•
	{ "username": "password": }	"roni_cost@exa "roni_cost3@ex	mple.com", ample.com"				
Body	Cookies	(1) Header	rs (12) T				
Pretty	Raw		json 🔻	f]			
	9pecmeheco	cutqmdhod80ls5bt	j1ksh2l"				

Now you can use this token in **Tests tab**.



Unlike admin users, visitors and customers can only view or download files. You can test it using Get

amasty


queries.

Get Files for Product

This test refers to the *Default Store View* and works with *Logged in* customers.

To see the attachments of a given product available for a registered customer in a particular Store View, use the **GET** method.

Input the Store View and the product ID in the URL:



To use the Customer Token you have got previously, input in the **Token field**:

▶ Get files for Product. Default Store View. Logged In customer						
GET 👻	{{magento_apl_ur}}/default/V1/amasty_product_attachment/getByProductId?product_id=6					Send 🔻
Authorization						
	• header w ^{it} be automatically generated when you earn more yout authorization	Token				

Here we see that 2 files are attached to the product with the specified ID:

• The first attachment is available for a registered user:

Last update: 2020/04/04 14:02	magento 2:product attachme	ents https://amasty.com/docs/	/doku.php?id=magent	o 2:product attachments

Edit Attachment							
Store View: Default Store View 🔻	0				← Back	Delete File	Save and Continue Edit
File Info Fields							
	Attachment Type	File 💌					
	File	Upload					
	Label * [store view]	1nameFileDefaultSto Use Default Value 1labelFileDefaultStor Use Default Value	reView			Jpg	
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer					

Don't choose any or select all to show the attachment to all customer groups.

• The second one is not visible for a registered customer:

2020/04/04 15:20	53/78	Guide for Product Attachments for Magento 2
Edit Attachment		
Store View: Default Store View	• 0	← Back Delete File
File Info Fields		
	Attachment Type	File •
	File	Upload
		2nameFileDefaultSto 5 KB
	Attachment Name * [store view]	
	Label * [store view]	2labelFileDefaultStoreView Use Default Value
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer

On the frontend it works like this: the registered customer doesn't see the second file:

Home > Fusion Backpack	Fusion Backpack	
	\$59.00 Qty 1 Add to Cart • Add to Wish List ~ ADD TO COM	IN STOCK SKU#: 24-MB02 MPARE S EMAIL
Details Product Attachments More Information Reviews (3)		

The attachment info is displayed correctly:

GET - {{magento_api_	url}}/default/V1/amasty_product_atta	achment/getByProductId?product_id=6	
Authorization Headers (1)			
туре		Token	
Bearer Token			
The authorization header will be auto send the request. Learn more about			
Preview Request			
Body Cookies (1) Headers (
Pretty Raw Preview J			
	/jpeg", =ileDefaultStoreView", 9DefaultStoreView", Mg230ee3.gabrusevich.ap72.sty/pub Bee3.gabrusevich.ap72.sty/anfile/f	/media/amasty/amfile/icon/Image.png", ile/download/file/1/"	
10]			

Let's check how it works for NO Logged In Customer.


Get Files for Product in Different Store Views

The extension allows to adjust file display according to the Store View.


Here is the example on how it works for Default and, say, Germany Store Views. To test that we need **GET** query.

Specify the **Store View** and the **product ID** in the URL for Default and Germany Store Views.

Default Store View:



Germany Store View:



There are 2 product attachments in the **Default Store View**:

Store View: Default Store View •	0		← Back	Delete File	Save and Continue Edit	Save Attachment
File Info Fields						
	Attachment Type	File v				
	File	Uphoad				
		InameFileDefaultSto 5 X8	_			
	Attachment Name *	InsumeFileDetackSoreVew IFE Use Default Vote IFE				
	Label * [ttore view]	TabeFiRuPdisutStoreView U Une Default Value				
	[store view]	NOT LOGED N General Wholesale Racker Dent those any or vietal all to almost the attachment to all outstoner groups. Use Default Value Visc Visc				
	Include in Order (store view)	Vec V				
Attach To						
	Use [All Store Views] Categories	Ves				
	Use [All Store Views] Products	No No				
Add products						< 1 of 1 >
ID Thumbnail Name					Status Type S	
6 Fusion Backpack					Enabled simple 2	4- \$59.00 Remove AB02

Last update: 2020/04/04 14:02 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Store View: Default Store View -		← Back	Delete File	Save and Continue Edit	Save Attachment
File Info Fields					
Attachment Type	File •				
File	Upload				
	2nameFieDefaultSto 5 K8	_			
Attachment Name ptore weat	ZnamFieldefaultson/New DE Default/blue				
Label [store vew]	Zube/Ricbeta/disord/ew Dise Default Value				
Customer Groups	NOT LOGGED N General				
	Vibiotecule Resalter				
	Don't dissour any or select al to show the attachment to all customer groups. Use Default Value				
Is Wallbler plane area	♥ Vis				
Include In Order Interview	C 1915 Include the same in the same for the maximum of and and a list the future and and a same of automore's account. C the default value				
Attach To					
Use [All Store Views] Categories	Vis				
Use [All Store Views] Products	D No				
Add products					(1 of 1 >
ID Thumbnail Name					KU Price Actions
6 Fusion Backpack				Enabled simple 2 M	4- \$59.00 Remove IB02

But in the Germany Store View, there is only 1 attachment:

store View: Germany -		← Back	Delete File	Save and Continue Edit	Save Attachment
File Info Fields					
Attachment Type	Fie v				
File	Upload				
	5 KB				
Attachment Name [More view]	InamdfiedemanyStoreView De Default Value				
Label patre wear	ItabeFinGernanyStorWew Dra Default Yalue				
Conterver Groups provided Biological Content State Content Biological	Use Default Value				
Attach To	neuson nu suitemente nu suitemente ana sense en souse et un vener actual en sousener a sousener a sousener.				
Use [All Store Views] Categories	C Yes				
Use [All Store Views] Products)) No				
Add products					< 1 of 1 >
t0 Thumboal Name 6 Falsen Earlipack				Status Type	I of 1 SKU Price Actions 24- MB02 S59.00 Remove

2020/04/04 15:20	57/78	8 G	uide for Product Attachments for Magento 2
Store View: Germany •			← Back
File Info Fields			
	Attachment Type	File +	
	File	Upload	
		5 K8	
	Attachment Name		lpg
		Use Default Value	
	Label * [store view]	ZlabelFileGermanyStoreView Use Default Value	
	Customer Groups	NOT LOGGED IN General Wholesale Retailer	
		Don't those any or select all to show the attachment to all customer groups. Use Default Value	
	Is Visible (store view)	♥Yes ✓ Use Default Value	
	Include In Order [torr view]	Yes Include this attachment into order transactional email and show in the View order" section of customer's account. Use Default Value	
Attach To			
	Use [All Store Views] Categories	Ves	
	Use [All Store Views] Products	No No	
Add products			

Thus, the data on attachments for each Store View is displayed correctly:

Default Store View:

▶ Get files for Product. Default Store View	
GET • {{magento_api_ur}}/default/V1/amasty_product_attachment/getByProductId?product_id=6	
Authorization Headers Body Pre-request Cript Tests	
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization	request i
Body Cookies (1) Headers (11) Test Results	
Pretty Raw Preview JSON -	
<pre>1 ~ [2 * 3</pre>	

Germany Store View:

For Files for Product. Germany Store View	
GET < {{magento_api_ur}}/Germany/V1/amasty_product_attachment/getByProductd?product_id=6	
Authorization Headers Body Pre-request cript Tests	
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization	This request is using an authorization helper from collection <u>Product Attachment Api</u> .
Body Cookies (1) Headers (11) Test Results	
Pretty Raw Preview JSON - 🛱	
<pre>1 [2 { 3 "mine type": "image/jpeg", 4 "file_size": 4968, 5 "file_name": "inamefileGermanyStoreView", 6 "label": "ilabelFileGermanyStoreView", 7 "icon_url": "http://pinagento.gabrusevich.ap71.sty/pub/media/amasty/amfile/icon/Image.png", 8 "url": "http://apinagento.gabrusevich.ap71.sty/anfile/file/download/file/33/" 9 } 10]</pre>	

Get Files for Product Included in the Order

This query concerns products in the required Store View. On the frontend, these files are displayed on the *Order* page.

Use a GET query. In the URL, specify the needed Store View, in the Params section – product_id, and include_in_order_only condition: 1 (Yes):

> Get files for Product. Default Store View. `Include in order` files only Examples (0) 🔻							
GET • {{magento_api_ur}}}/default/V1/amasty_product_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_attachment/getByProduct_at	ductId?product_id=6&include_in_order_only=1	Params	Send 🔻 Save 🔻				
KEY	VALUE	DESCRIPTION	••• Bulk Edit				
✓ product_id							
✓ include_in_order_only		include in order = Yes					
Authorization Headers Body Pre-request Script Tests							
туре							
	This request is using an authorization helper from collection <u>Product Attachment Ap</u> j.						
The authorization header will be automatically generated when you send the request. Learn more about authorization							

As we see, the product with ID=6 in Default Store View has 2 attached files, and Include In Order condition is met only in the second case:

Fusi	on E	Back	pack			•	- Back Add A	Attribute Sa	ve 🔻
Prod	uct Re	views							\odot
Imag	es An	d Vide	05						\odot
Prod	uct At	tachm	ients						\odot
								< 1 of	1 >
	FileId	lcon	File Name	Extension	Label	Customer Groups	Include In Order	Visible	Actions
I	33		1nameFileDefaultStoreView Image: Use Default Value	jpg	1labelFileDefaultStoreView ✓ Use Default Value	NOT LOGGED IN General Wholesale Retailer	No Use Default Value	 Ves ✓ Use Default Value 	Î
I	34		2nameFileDefaultStoreView C Use Default Value	jpg	2labelFileDefaultStoreView ✓ Use Default Value	NOT LOGGED IN General Wholesale Retailer Vise Default Value	Ves Use Default Value	 ✓ Yes ✓ Use Default Value 	ŧ
Add	Existin	g Attaci	ments Add New Files Add New Links						
Prod	uct Ca	itegor	ies Attachments						\odot
Sear	ch Eng	gine O	ptimization						\odot
Rela	ed Pr	oduct	s, Up-Sells, and Cross-Sells						\odot
Cust	omiza	ble Op	tions						\odot

Go to the extension settings. In the **Type of Attachments to Display** option choose 'Include In Order' Only:

amasty

Order	View	Page
-------	------	------

	Show Attachments [store view]	Yes	•
_	Title for Attachments Block [store view]	Product Attachments	
	Type of Attachments to Display [store view]	`Include In Order` Only	•
	Show File Icon [store view]	Yes	•
	Show File Size [store view]	Yes	•

Let's see how the Postman search query will bring the results:

→ Get files for Product. Default Store View. `Include in order' files only Examples (0) 🔻							
GET • ((magento_api_url))/default/V1/amasty_product_attachment/getByPro	ductId?product_Id=6&include_in_order_only=1		Params Send 🔻 Save 🔻				
KEY	VALUE	DESCRIPTION					
✓ product_id							
✓ include_in_order_only		include in order = Yes					
Кеу							
Authorization Headers Body Pre-request Script Tests Cookies Code							
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization							
Body Cookies (1) Headers (11) Test Results							
			Cave Response				
<pre>1 { 2 * file_ster: 473, 3 * file_ster: 473, 4 * file_ster: 473, 5 * file_ster: 47</pre>							

Get Files with Extra URL Parameters

Now we are going to consider the case when outputting the info on attachments in the necessary Store View needs adding extra parameters to the URL (category, product, order).

As usual, **GET** query is used.

In the URL, we write the Store View, the ID and the necessary parameters:

▶ Get files for Product. Default Store View. Add extra url parameters			Examples (0) 🔻
GET + {(magento_api_url))/default/V1/amasty_product_attachment/getByPro	oductId?product_id=6&extra_url_params[product]=6&extra_url_params[category]&extra_u	rl_params[order] Params Send	- Save -
KEY	VALUE	DESCRIPTION	
✓ product_id			
✓ extra_url_params[product]			
<pre>extra_url_params[category]</pre>			
extra_url_params[order]			
Authorization Headers Body Pre-request Script Tests			
TYPE Inherit auth from parent			

This file relates to 2 products:

2020/04/04 15:20		61/78	Gui	de for	Product /	Attachments fo	r Magento 2
dit Attachment				← Back	Delete File	Save and Continue Edit	Save Attachment
	File	Upload Upload TnameFicAl/StoreVie SK8					
	Attachment Name *	1nameFileAlStoreViews	ipg				
	Label *	1labelFileAllStoreViews					
	Customer Groups	NOT LOGGED IN General Wholesale Retailer Derit choose any or select all to show the attachment to all customer groups.					
	Is Visible	Ves					
	Include In Order	Ves Include this attachment into order transactional email and show in the Vew order' section of customer's account.					
Attach To							
	Categories			·			
Add products						<	1 of 1 >

						<	1	of 1 >
ID) TI	humbnail	Name	Status	Туре	SKU	Price	Actions
5		STREE	Rwal Field Messenger	Enabled	simple	24- MB06	\$45.00	Remove
6			Fusion Backpack			MB02		

In each case, the file has a different **file_name** and **label**:


usion Back	pack			÷	- Back	Add Attribu	te Sav	/e 🔻
configurations								\odot
Configurable product each color),	ts allow customers to choose options (Ex: shirt color). You need to create	e a simple pr	oduct for each configuration (Ex: a product for				Create Configu	urations
Product Reviews								\odot
Images And Video	25							\odot
Product Attachm	ents							\odot
						<	1 of 1	>
FileId Icon	File Name	Extension	Label	Customer Groups	Include In	Order Visibl	e	Actions
11 33	nameFileDefaultStoreView_Fusion	Jpg	labelFileDefaultStoreVlew_Fusion Use Default Value	NOT LOGGED IN General Wholesale Retailer Vise Default Value	♥ Yes	e Default 🗹 Value	Yes Use Default Value	Ŵ
Add Existing Attach	ments Add New Files Add New Links							
Product Categori	es Attachments							\odot
Search Engine Op	timization							\odot
Related Products	, Up-Sells, and Cross-Sells							\odot
Customizable Op	tions							\odot
Product in Websi	tes							\odot

Last update: 2020/04/04 14:02 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Rival Field N	lessenger			÷	- Back	Add A	ttribute	Sav	re 🗸
Configurable produce each color).	ts allow customers to choose options (Ex: shirt color). You need to crea	te a simple pro	oduct for each configuration (Ex: a product for				Crea	te Configu	rations
Product Reviews									\odot
Images And Vide	os								\odot
Product Attachm	nents								\odot
							<	1 of 1	>
FileId Icon	File Name	Extension	Label	Customer Groups	Include	n Order	Visible		Actions
33	nameFileDefaultStoreView_Rival	jpg	labelFileDefaultStoreView_Rival	NOT LOGGED IN General Wholesale Retailer Vise Default Value	▼ 1	es Jse Default Value	Ves	e Default Value	Î
Add Existing Attac	nments Add New Files Add New Links								
Product Categor	ies Attachments								\odot
									\odot
Search Engine O	ptimization								0
	ptimization s, Up-Sells, and Cross-Sells								9
	s, Up-Sells, and Cross-Sells								

In case the file is downloaded from the product page, it will have a separate URL for each item:

Vertexternal Vertexternal	****** 3 Reviews Add Your Review \$\$59.00 IN STOCK SKU#: 24-MB02 Qty 1 Add to Cart * ADD TO WISH LIST Is ADD TO COMPARE E EMAIL
abelFileDefaultStoreView_Fusion (4.85 kB)	
About us Privacy and Cookie Puny Customer Service Search Terms Contact Us Advanted Search apimagento.gabrusevich.ap71.sty/amfile/file/download/file/33/product/6/	Enter your email address Subscribe



In Postman, if we make queries to extract the info on the attachment using the product ID only, the URL will be the same for each item:

▶ Get files for Product. Default Store View. Add extra url parameters			
GET - {{magento_api_url}}/default/V1/amasty_product_attachment/getByProd	uctId?product_id=6		
KEY	VALUE		
✓ product_id	6		
extra_url_params[product]			
extra_url_params[category]			
extra_url_params[order]			
Кеу			
Authorization Headers Body Pre-request Script Tests			
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization			
Body Cookies (1) Headers (11) Test Results			
Pretty Raw Preview JSON 🔻 🥽			
<pre>1 * [2 * { 3</pre>	file/icon/Image.png", 2/33/"		

2020/04/04 15:20	65/78	(Guide for Product Attachments for Magento
▶ Get files for Pro	oduct. Default Store View. Add ex	tra url parameters	
GET 🔻	{{magento_api_url}}/default/V1/a	masty_product_attachme	ent/getByProductId?product_id=5
KEY			VALUE
✓ product_id			5
extra_url_pa	rams[product]		
extra_url_pa	rams[category]		
extra_url_pa	rams[order]		
Кеу			
Authorization	Headers Body Pre-request	Script Tests	
	n parent header will be automatically general Learn more about authorization	▼ ted when you	
Body Cookies	(1) Headers (11) Test Res		
Pretty Raw	Preview JSON 🔻 🚍		
4 "f 5 "f 6 "l 7 "i	ime_type": "image/jpeg", ile_size": 4968, ile_name": "nameFileDefaultStoreVi abel": "labelFileDefaultStoreView_ con_url": "http://apimagento.gabrusevio	_Rival", isevich.ap71.sty/pub/med	lia/amasty/amfile/icon/Image.png", download/file/33/"

The main benefit of extra URL parameter is that we get one file with different settings for each product:

Get files for Product. Default Store View. Add extra url parameters	
GET	luctId?product_id=6&extra_u
КЕҮ	VALUE
✓ product_id	6
extra_url_params[product]	6
extra_url_params[category]	
extra_url_params[order]	
Кеу	
Authorization Headers Body Pre-request Script Tests	
ТҮРЕ	
Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization	
Body Cookies (1) Headers (11) Test Results	
Pretty Raw Preview JSON 👻 🕽	
<pre>1 * [2 * { 3 "mime_type": "image/jpeg", 4 "file_size": 4968, 5 "file_name": "nameFileDefaultStoreView_Fusion", 6 "label": "labelFileDefaultStoreView_Fusion", 7 "icon_url": "http://apimagento.gabrusevich.ap71.sty/pub/media/amasty/am 8 "url": "http://apimagento.gabrusevich.ap71.sty/amfile/file/download/file</pre>	file/icon/Image.png", e/33/product/6/"
9 } 10]	

<u>a</u>masty

▶ Get files for Product. Default Store View. Add extra url parameters			
GET	tByProductId?product_id=5&extra_url_params[prod		
кеу	VALUE		
✓ product_id	5		
<pre>extra_url_params[product]</pre>	5		
Key			
Authorization Headers Body Pre-request Script Tests			
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization	This re		
Body Cookies (1) Headers (11) Test Results			
Pretty Raw Preview JSON 🔻 🛱			
<pre>1 ~ [2 ~ { 3 ~ "mime_type": "image/jpeg", 4 ~ "file_size": 4968, 5 ~ "file_name": "nameFileDefaultStoreView_Rival", 6 ~ "label": "labelFileDefaultStoreView_Rival", 7 ~ "icon_url": "http://apimagento.gabrusevich.ap71.sty/pub/media/am 8 ~ "url": "http://apimagento.gabrusevich.ap71.sty/amfile/file/downl. 9 ~ } 10]</pre>	asty/amfile/icon/Image.png", oad/file/33/product/5/"		

Another option of Product Attachments is that users can also output or view the data on the files attached to the whole category.

Get Files for Categories

Now let's output the information on the files attached to a Category of the necessary Store View, using **GET** request. The store view is Default:

amasty

▶ Get files for Category. Default Store View. Everything is the same as product				
GET 🔻	{{magento_api_url}}/default/V1/amasty_product_at	achment/getByCategoryId?category_Id=4		
KEY		VALUE		
✓ category_id		4		
Authorization				
ТҮРЕ				
Inherit auth fror	n parent 🔹			
		This request is using an authorization helper from		
	header will be automatically generated when you Learn more about authorization			
Get files for Ca	itegory. Default Store View. Everything is the sam	e as product		
GET 🔻	{{magento_api_url}}/default/V1/amasty_product_at	tachment/getByCategoryId?category_Id=5		
KEY		VALUE		
✓ category_id		5		
Authorization Headers Body Pre-request Script Tests				
ТҮРЕ				
Inherit auth fro	m parent 💌			
		This request is using an authorization helper from		
	n header will be automatically generated when you . Learn more about authorization			

In the URL, specify the Store View and the ID of the categories we aim to extract file info from. Here are the expected results based on the module configuration:

• File 1 is attached to the ID 4 category:

69/78

Store View: Default Store View -	← Back [
File Info Fields	
Attachment Type	File 💌
File	Upload
	InameFileDefaultSto 5 KB
Attachment Name [store view]	TnameFileDefaultStoreView Ipg Use Default Value
Label [store view]	1labelFileDefaultStoreView Use Default Value
Customer Groups	NOT LOGGED IN General Wholesale Retailer
	Don't choose any or select all to show the attachment to all customer groups. Use Default Value
Is VIsible [store view]	 ✓ Yes ✓ Use Default Value
Include In Order [store vew]	Yes Include this attachment into order transactional email and show in the View order' section of customer's account. Use Default Value
Attach To	
Use [All Store Views] Categories	4 No
Categories	Bags ×

• File 2 is attached to the ID=4,5,6 categories:

Last update: 2020/04/04 14:02	magento_2:product_attachmen	ts https://amasty.com/docs/	/doku.php?id=magent	o 2:product attachments

Store View: Default Store View •			← Back De
File Info Fields			
	Attachment Type	File •	
	File	Upload	
		ZnameFileDefaultSto 5 KB	
	Attachment Name * [store view]		
	Label * [store view]		
		Use Default Value	
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer	
		Don't choose any or select all to show the attachment to all customer groups.	
	Is Visible [store view]	Ves Ves Default Value	
	Include In Order [store view]	Yes Include this attachment into order transactional email and show in the View order' section of customer's account. Image: Use Default Value	
Attach To			
	Use [All Store Views] Categories		
	ose par store viewaj categories	4 5 6	
	Categories	Bags x Fitness Equipment x Watches x	-

Now we should check how the info is rendered in Postman:

• ID 4 Category:

71/78

▶ Get files for C	ategory. Default Store View. Everythin	g is the same as pr	oduct
GET 🔻	{{magento_api_url}}/default/V1/amast	y_product_attachme	nt/getByCategoryId?category_id=4
Authorization			
	om parent on header will be automatically generated w t. Learn more about authorization	▼ hen you	Т
Body Cookie	es (1) Headers (11) Test Results		
Pretty Raw	v Preview JSON 🔻 🚍		
4 5 6 7 8 9 10 11 12 13 14 15	<pre>mime_type": "image/jpeg", "file_size": 4968, "file_name": "InameFileDefaultStoreView" "label": "llabelFileDefaultStoreView", "icon_url": "http://apimagento.gabrusevi "url": "http://apimagento.gabrusevich.ap" "mime_type": "image/jpeg", "file_size": 4793, "file_name": "2nameFileDefaultStoreView" "label": "2labelFileDefaultStoreView", "icon_url": "http://apimagento.gabrusevich.ap"</pre>	ch.ap71.sty/pub/med 71.sty/amfile/file/ , ch.ap71.sty/pub/med	download/file/33/" ia/amasty/amfile/icon/Image.png",

• ID 5 Category:

▶ Get files for C	ategory. Def	ault Store	e View. Everything is	the sam	e as product
GET 🔻	{{magen	to_api_url)	}/default/V1/amasty_p	roduct_a	ttachment/getByCategoryId?category_id=5
Authorization					
TYPE Inherit auth fre The authorizatio send the reques	on header will		itically generated when	▼ 1 you	This
Body Cookie		aders (11)			
Pretty Raw		JSOI	- -		
	"label": "2la "icon_url":	4793, "2nameFile belFileDef http://api	- DefaultStoreView", FaultStoreView", imagento.gabrusevich.	ap71.sty/ sty/amfil	pub/media/amasty/amfile/icon/Image.png", e/file/download/file/34/"

We see that there are 2 attachments in the ID 4 category and only one attachment in ID 5 category. This matches the module settings and the info is correct.

Get Files by File ID

In this case, we are going to extract the file info for the Default Store View, relying on the file ID.

▶ Get files by FileId. Default Store View. Everything is same as product					
GET + {{magento_api_url}}/default/V1/amasty_product_atta	GET * {{magento_api_ur}}/default/V1/amasty_product_attachment/getByFileIds?file_lds]=33&file_lds]=34&file_lds]=1111				
KEY	VALUE	DESCRIPTION			
🖌 file_ids[]	33				
✓ file_ids[]	34				
✓ file_ids[]	1111				
Authorization Headers Body Pre-request Script Tests					
TYPE Inherit auth from parent This request is using an authorization helper from collection Product Attachment Apj.					
The authorization header will be automatically generated when you send the request. Learn more about authorization					

As usual, in the URL, we fill in the Store View and the file IDs - in the Params section:

In our example we see 2 uploaded files:

Attachr	nents Management		Q 📣 1				
					Add New At	tachment	
						🔅 Columns 🗸	
Actions	2 records found			20 • per	page < 1	_	
ID ID	↓ Icon Attachment Type	File Name	File Label	Mime Type	File Size	Action	
33	File	1nameFileAllStoreViews	1labelFileAllStoreViews	image/jpeg	4.85 kB	Edit	
34	File	2nameFileAllStoreViews	2labelFileAllStoreViews	image/jpeg	4.68 kB	Edit	

The info is correct:

▶ Get files by FileId. Default Store View. Everything is same as product									
GET - {{magento_api_url}}/default/V1/amasty_product_attachment/getByFileIds?file_ids[]=33&file_ids[]=34&file_ids[]=1111									
KEY	VALUE								
🖌 file_ids[]	33								
File_ids[]	34								
✓ file_ids[]	1111								
Authorization Headers Body Pre-request Script Tests									
TYPE Inherit auth from parent The authorization header will be automatically generated when you send the request. Learn more about authorization Body Cookies (1) Headers (11) Test Results									
Pretty Raw Preview JSON 🔻 🚍									
<pre>1 * [2 * 3 * 4 * 5 * 5 * 6 * 1 * 1 * 1 * 6 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1</pre>									

We have added the ID of a non-existing file (1111) on purpose. As you can see, Postman didn't report any error. The tool just output the existing files.

Test File Downloading

To do this, output the info in **Base64** format. Then copy the Base64 code and insert it into decoders to get the product picture. Use **GET** query to output the file data:

▶ Get File Content (Download)											
	GET										
	KEY		VALUE								
~	file_id		33								
~	✓ product_id										
~	category_id										
	Key		Value								
Auth	orization H										
1.1.1	- herit auth from										
		eader will be automatically generated when you earn more about authorization									

In the URL input the necessary Store View, in the Params section - the file/product/category ID.

There are several ways to get the file content. We provide the file settings in the module settings and their representation in Postman.

• Using the file ID:

2020/04/04 15:20		75/78					Guide fo	or Product Attac	chment	ts for I	Magento 2
Edit Attachment									Q	" ß	💄 admin ▾
Store View: Default Store View 🔻	0					← Back	Delete File	Save and Continu	e Edit	Save At	tachment
File Info Fields											
	Attachment Type	File •									
	File	Upload									
	Attachment Name 🔸	5 KB					jpg				
	[store view]	Use Default Value					IPR				
	Label * [store view]	1labelFileDefaultStoreView Use Default Value									
	Customer Groups [store view]	NOT LOGGED IN General Wholesale Retailer									
		Don't choose any or select all to show	the attachment to a	all customer groups.							
🕂 New 🔻 Import Runner 📭 🖛			Product	Attachments by Amasty 🝷	よ Invite			0	& \$	* * (Upgrade 🔻
Q Filter History Collections		Uploa Save File D Get File Da Get File Da						files by Get F 🔹 🕂 🚥			• • *
G.	Get File Content (Downlo GET GET (mage	nto_api_url}}/default/V1/amasty_product	attachment/downloa							Send	Examples (0) 👻
Product Attachment Api 17 requests	KEY			VALUE			DES	CRIPTION			••• Bulk Edit
Backend Api ··· Post Get Admin Token	file_id										
Post Upload File											
POST Save Uploaded File PUT Save File Data for another store vi	Key Authorization Headers										
बहर Get File Data By Id	туре										
ওলে Get File Data By Id (Default Store এল Search											
Delete Saved File											
Frontend Api Ogged In Customer											
مدت Get files for Product. Default Stor مدت Get files for Product. Germany St											
GET Get files for Product. Default Stor			AAAKCAAKCA&MDA&DFAA		31 CkeNu1DDDn4DEFaT8r	opyoF1 ZYCPi T+1	711/18F004F004F048006A1	FhOTEVOUThoaCBoVT (No 154o 154o) Teo	KSU3I VEADDAIN		Save Response
GET Get files for Product. Default Stor GET Get files for Category. Default Sto	3 "name_with_extens 4 "temporary_name"; 5 }	iata": "/9j/4AAQSkZJRgABAQAAAQABAAD/2wCF ;ion": "InameFileDefaultStoreView.jpg", : null	ononcyoncyanonal on	Novi on on the long occer coge coging	and a second and a second s		a polyonegoneann enoyonn	n ny navyanguloon a jing sing sina na			i ji u i i ji chocznynozn
Get files by FileId. Default Store Vi											
এল্ল Get File Content (Download)											
<u> </u>											

• Using the file/product ID:

amasty

Last update: 2020/04/04 14:02 magento_2:product_attachments https://amasty.com/docs/doku.php?id=magento_2:product_attachments

Fusion Backpack					← Back	Add Attribute	Save	•
Configurations								\odot
Configurable products allow custome each color).	ers to choose options (Ex: shirt color). You need to crea	te a simple pro	oduct for each configuration (Ex: a product for			Cre	ate Configuration	ns
Product Reviews							(\odot
Images And Videos							(\odot
Product Attachments							(\odot
						<	1 of 1	>
FileId Icon File Name		Extension	Label	Customer Groups	Include	In Order Visible	Actio	ons
II 33 🔊 nameFileDef.	aultStoreView_Fusion : Value	JPg	labelFileDefaultStoreView_Fusion Use Default Value	NOT LOGGED IN General Wholesale Retailer IV Use Default Value		Yes Clauder Yes	is se Default Value	I
Add Existing Attachments Add	New Files Add New Links							
Product Categories Attachme	ents						(0
Search Engine Optimization							(\odot
Related Products, Up-Sells, an	nd Cross-Sells						(\odot
Customizable Options	*		Product Attachments by Amasty 🔻 👗 invite			🕥 e 🕫 a v	(Dpgrade	\odot
Q Filter			Delete Saw Get Custor Get files fo Get files fo Get files fo	fo Get files fo Get files fo Get files by Get F			• • • • •	
History Collections	▶ Get File Content (Download)						Examples (0	
Product Attachment Api 17 requests	GET	product_attachme	nt/download?file_id=33&product_id=6	DESCRIPTION		Params Sen	d 🔻 Save	
Backend Api Post Get Admin Token	• v file_id v product_id							
	category_id							
	Key Authorization Headers Body Pre-request Script							Code
	Түре							
 Frontend Api Eogged In Customer 								
Get files for Product. Default Stor	Body Cookies (1) Headers (11) Test Results							_
						9	Q Save Respor	ise
	<pre>2</pre>	AAD/2wCEAAoKCgoKi _Fusion.jpg",	CgsMDAsPEA4QDxYUExMUFiIYChgaGCIzICUgICUgMy03LCksNy1RQDg4QFF	FeT0pPXnFLZXGPtI+7u/sBCgoKCgoKCwwMCw8QOhAPFhQTExQWIhgaC	BoYIjNgJSAgJS	AzLTcsKSw3LVFA0DhAUV5PSk9eci	WlcY+Ij7u7+//CABEIAy	ADIA

• Using the file/category ID:

2020/04/04 15:20	77/78				Gu	uide for Product	Attachme	nts for	Magento 2
Bags (ID: 4)								Q 🦸	🧿 👤 admin 🗸
Store View: Default Store View -								Dele	te Save
✓ You saved the category.									
Collapse All Expand All Collapse All Expand All Collapse All (Expand All Collapse All (Ex		Enable Category (store view) Include in Menu (store view) Category Name	Ves Ves Defaut Ves Ves Ves Defaut Bags V Use Defaut	t Value					
	Content								\odot
	Display Settings								\odot
	Search Engine Optimi	ization							\odot
	Products in Category								\odot
	Design								\odot
	Schedule Design Upd	ate							\odot
	Product Attachments								\odot
								<	1 of 1 >
	File Icon Attach Id	nment Name		Extension	Label	Customer Groups	Include In Order	Visible	Actions
	II 33 🚺 1nar	meFileDefaultStoreView_C	ategory4	jpg	1labelFileDefaultStoreView_Category4	NOT LOGGED IN	Yes	Yes	

	Use Default Value	Use Default Value	General Vsr Wholesale	e Default 🗹 Use Default Value Value							
🕂 New 🔻 Import Runner 📑 🔻	Product /	Attachments by Amasty 👻 👗 Invite	٢	🔮 🗳 🌲 🎔 🙆 Upgrade 👻							
Q Filter			Get files by Get F 💿 🕂 ••••	apimagento 🔹 💿 🄅							
History Collections	 File Content (Download) 										
C1	GET	17file id=33&category id=4		Params Send - Save -							
Product Attachment Api 17 requests	KEY	VALUE	DESCRIPTION	•••• Bulk Edit							
Backend Api ····	rer file_ld	33	DESCRIPTION								
Post Get Admin Token	product_id										
Post Upload File	✓ category_id										
Post Save Uploaded File	Key										
PUT Save File Data for another store vi	Authorization Headers Body Pre-request Script Tests										
GET Get File Data By Id											
GET Get File Data By Id (Default Store	TYPE Inherit auth from parent										
GET Search											
DEL Delete Saved File											
🔻 🖿 Frontend Api 🛛 🚥											
Logged In Customer											
GET Get files for Product. Default Stor	Body Cookles (1) Headers (11) Test Results										
Get files for Product. Germany St				🖿 🔍 Save Response							
Get files for Product. Default Stor											
Get files for Product. Default Stor	1 "tarsel4 encoded data": 19/14000223g380000000/brCADexCgaCg390b4PE400rVErWFIIYGbgsCL1cUg1CUg9Vg81CcbysR0p4QFFe70p26FIZX0P1-7u/s8CgaCgaCwmCud00APFR0T5QuThgsGaOr1jng35g354LTcsKs-uLvFA00huVFPS9ecW1c+1j7u7+//C00E1Ap01A "terporary"jame": mult										
Get files for Category. Default Sto											
Get files by FileId. Default Store Vi											
Get File Content (Download)											

Find out how to install the Product Attachments extension via Composer. Rate the user guide

from 1 votes (Details)
Goo Goo Rate
Consistent votes
Consistent vote

From: https://amasty.com/docs/ - Amasty Extensions FAQ

Permanent link: https://amasty.com/docs/doku.php?id=magento_2:product_attachments



Last update: 2020/04/04 14:02